Journal of Statistical Planning and Inference 19 (1988) 401–402
North-Holland

AUTHOR INDEX*

Volume 19 (1988)

Akritas, M.G. and S. Kourouklis, Local Bahadur efficiency of score tests (2) 187–199
Babu, G.J., A note on comparison of conditional means (2) 253–259
Baksalary, J.K. and A. Markiewicz, Admissible linear estimators in the general Gauss–Markov model (3) 349–359
Bose, M., *see* R. Mukerjee (2) 261–267
Carmody, T.J., Diagnostics for multivariate smoothing splines (2) 171–186
Choudhury, J. and R.J. Serfling, Generalized order statistics, Bahadur representations, and sequential nonparametric fixed-width confidence intervals (3) 269–282
Corral, N., *see* M.A. Gil (1) 81–94
Dey, D.K., *see* A.E. Gelfand (1) 121–131
Gelfand, A.E. and D.K. Dey, On the estimation of a variance ratio (1) 121–131
Gil, M.A., N. Corral and P. Gil, The minimum inaccuracy estimates in χ^2 tests for goodness of fit with fuzzy observations (1) 95–115
Gil, P., *see* M.A. Gil (1) 81–94
Hedayat, A.S., C.R. Rao and J. Stufken, Sampling plans excluding contiguous units (2) 159–170
Helmers, R. and F.H. Ruymgaart, Asymptotic normality of generalized L-statistics with unbounded scores (1) 43–53
Kageyama, S., On orthogonal arrays attaining Rao's bounds (3) 395–400
Kapadia, C.H., A.H. Kvanli and K.R. Lee, Minimal sufficient statistics for incomplete block designs with interaction under an Eisenhart model III (3) 317–324
Kappenman, R.F., Robust symmetric distribution location estimation and regression (1) 55–72
Kourouklis, S., *see* M.G. Akritas (2) 187–199
Kuriki, S., *see* M. Kuwada (3) 373–382
Kuwada, M. and S. Kuriki, Balanced fractional factorial designs of resolution $2l+1$ or interesting effects orthogonal to some nuisance parameters: $2^{m_1+m_2}$ series (3) 373–382
Kvanli, A.H., *see* C.H. Kapadia (3) 317–324
Lau, T.-S., D-optimal designs of the unit q-ball (3) 299–315
Lea, C.-D. and M.L. Puri, Asymptotic properties of perturbed empirical distribution functions evaluated at a random point (2) 201–215
Lee, K.R., *see* C.H. Kapadia (3) 325–340
Lin, G.D., Characterization of distributions via relationships between two moments of order statistics (1) 73–80
Markiewicz, A., *see* J.K. Baksalary (3) 349–359
Milbrodt, H., Limits of experiments associated with sampling plans (1) 1–29
Moore, L.M., Singular factorial designs resulting from missing pairs of design points (3) 325–340
Mukerjee, R. and M. Bose, Non-equirereplicate Kronecker factorial designs (2) 261–267
Peixoto, J.L., Prediction in a class of mixed models with two variance components (1) 81–94

* The issue number is given in front of page numbers.

0378-3758/88/$3.50 © 1988, Elsevier Science Publishers B.V. (North-Holland)

Pesotan, H. and B.L. Raktoe, On invariance and randomization in factorial designs with applications to D-optimal main effect designs of the symmetrical factorial (3) 283–298
Pfanzagl, J., Consistency of maximum likelihood estimators for certain non-parametric families, in particular: mixtures (2) 137–158
Puri, M.L., *see* C.-D. Lea (2) 201–215
Raktoe, B.L., *see* H. Pesotan (3) 283–298
Rao, C.R., *see* A.S. Hedayat (2) 159–170
Roy, B.K., Construction of strongly balanced uniform repeated measurements designs (3) 341–348
Ruymgaart, F.H., *see* R. Helmers (1) 43–53
Sastry, D.V.S., A class of resolvable incomplete block designs (1) 117–120
Schick, A. and V. Susarla, Efficient estimation in some missing data problems (2) 217–228
Serfling, R.J., *see* J. Choudhury (3) 269–282
Skovlund, E., A simulation study of three sequential two-sample tests with triangular continuation regions (3) 383–394
Stam, A.J., Some stochastic processes in a random permutation (2) 229–244
Stufken, J., On bounds for the efficiency of block designs for comparing test treatments with a control (3) 361–372
Stufken, J., *see* A.S. Hedayat (2) 159–170
Susarla, V., *see* A. Schick (2) 217–228
Wiens, D., The non-null distribution of the Beta statistic in the test of the univariate general linear hypothesis, when the error distribution is spherically symmetric (2) 245–252
Yanagisawa, Y., Designs for discrimination between binary response models (1) 31–41